

Part number	I-Button	Product Image	Technology	Description	Mounting	Min. Tolerance (%)	Best TCR (ppm/°C)	Min. Power Rating	Resistance (min) (ohm)	Resistance (max) (ohm)
100/SM/PC Series	 		Wirewound	Precision Wirewound Resistors	Through Hole	0.005	2	2	10	6M
CAL 4-40100	 		Foil	Standard Resistor	Through Hole	0.02	10	3	0.0001	10K
MF2000 Series	 		Film Resistor	Axial Resistors	Through Hole	0.05	3	0.65	1	10M
MFM Series	 		Film	Film Resistors	Surface Mount	0.05	50	1	10	10M
MP Series	 		Film	Film Resistors	Through Hole	0.025	5	1	10	3M
S/SL Series	 		Wirewound	Low Ohm Wirewound Resistors	Surface Mount	0.01	20	2	0.005	50K
SF-2 Series	 		Film	Precision Metal Film Resistors	Surface Mount	0.5	5	1	1	3M
UB Series	 		Wirewound	Silicone Coated Power Resistors	Through Hole	0.01	20	15	0.02	260K
UHN 2-3825D	 		Foil	Precision Power Divider	Through Hole	0.1	5	30	1	100
UHR 4-5020D	 		Foil	High Pulse Precision Shunt Resistor	Through Hole	0.1	5	8	1	40
UNR 2-0710	 		Foil	High Precision Resistor	Through Hole	0.005	1	0.6	1	150K
UNR 2-1410	 		Foil	High Precision Resistor	Through Hole	0.01	1	0.8	1	300K
UNR 2-T220B	 		Foil	High Precision Power Resistor	Through Hole	0.01	3	10	0.5	5K
UNR 2-T221										

Part number	I-Button	Product Image	Technology	Description	Mounting	Min. Tolerance (%)	Best TCR (ppm/°C)	Min. Power Rating	Resistance (min) (ohm)	Resistance (max) (ohm)
UNR 4-1410	 		Foil	High Precision Resistor	Through Hole	0.01	1	0.8	0.1	100
UNR 4-3425	 		Foil	High Precision Power Resistor	Through Hole	0.01	1	50	0.05	500
UNR 4-4020	 		Foil	High Precision Power Resistor	Through Hole	0.01	1	50	0.05	100
UNR 4-T220B	 		Foil	High Precision Power Resistor	Through Hole	0.01	1	15	0.2	80
UNR 4-T221										
UNS 2-T220	 		Foil	High Precision Power Resistor	Surface Mount	0.01	3	10	0.5	5K
UNS 4-T220	 		Foil	High Precision Power Resistor	Surface Mount	0.01	1	15	0.2	80
USR 2-0710	 		Foil	High Precision Resistor	Through Hole	0.005	1	0.6	1	150K
USR 2-0808	 		Foil	High Precision Resistor	Through Hole	0.005	1	0.6	1	150K
USR 2-1410	 		Foil	High Precision Resistor	Through Hole	0.01	1	0.8	1	300K
USR 2-T220B	 		Foil	High Precision Power Resistor	Through Hole	0.01	3	6	0.5	150K
USR 2-T221										
USR 4-1410	 		Foil	High Precision Resistor	Through Hole	0.01	1	0.8	0.1	100
USR 4-1414	 		Foil	High Precision Power Resistor	Through Hole	0.01	1	25	5	100
USR 4-3425	 		Foil	High Precision Power Resistor	Through Hole	0.01	1	30	0.05	500

Part number	I-Button	Product Image	Technology	Description	Mounting	Min. Tolerance (%)	Best TCR (ppm/°C)	Min. Power Rating	Resistance (min) (ohm)	Resistance (max) (ohm)
USR 4-4020	Datasheet 		Foil	High Precision Power Resistor	Through Hole	0.01	1	30	0.05	100
USR 4-T220B	Datasheet 		Foil	High Precision Power Resistor	Through Hole	0.01	1	10	0.2	80
USR 4-T221										
USS 2-T220	Datasheet 		Foil	High Precision Power Resistor	Surface Mount	0.01	3	6	0.5	150K
USS 4-T220	Datasheet 		Foil	High Precision Power Resistor	Surface Mount	0.01	1	10	0.2	80
UT Series	Datasheet 		Wirewound	Silicone Coated Power Resistors	Through Hole	0.01	20	15	0.02	320K
UV Series	Datasheet 		Wirewound	Ceramic Wirewound Resistors	Through Hole	0.01	20	10	0.01	91K
UW Series	Datasheet 		Wirewound	Ceramic Wirewound Resistors	Through Hole	0.01	20	15	0.01	91K
WPR 2-TO5	Datasheet 		Wirewound	Hermetically Precision Wirewound Resistors	Through Hole	0.01	5	0.25	50	600K